

Issued to M/s

For : **HOSPITAL FURNITURES**

GOVERNMENT OF KARNATAKA

VICTORIA HOSPITAL, BANGALORE.

(A TEACHING HOSPITAL ATTACHED TO BANGALORE MEDICAL COLLEGE
& RESEARCH INSTITUTE)

BID DOCUMENT

ENQUIRY NO. VH/SUP(2)/73/09-10 Dated:13-01-2010

SHORT TERM TENDER FOR THE PROCUREMENT:
HOSPITAL FURNITURES

OFFICE OF THE MEDICAL SUPERINTENDENT
VICTORIA HOSPITAL,
FORT,
BANGALORE – 560002

COST OF BID DOCUMENT Rs. 550/-

CHECK LIST

DOCUMENTS TO BE ENCLOSED ALONG WITH SHORT TERM TENDER (ENCLOSE THE PAPERS IN FOLLOWING ORDER)

1. Group of the item A,B.C & D quoted &
Country of Origin
2. PAN No.
3. TIN No.....
4. Price of the Each Furniture
quoted including all charges.
(In Indian Rupees only) Page No. Yes No
5. . D.D amount towards E.M.D
(D.D No. Date & name of
the Bank) Page No. Yes No
6. Solvency for the amount of
Tender value Page No. Yes No
7. Annual Turnover for last 3 years Page No. Yes No
8. Attested copy of Manufacture
license for the supply of EQUIPMENT,
if tenderer is a manufacture. Page No. Yes No
9. Authorized Agency certificate
from principal manufacture in
Original in format – Section XIII
if tender is an authorized agent. Page No. Yes No
10. Technical specification and
information brochure of the
equipment in original Page No. Yes No
11. ISI / ISO Certificate if any Page No. Yes No

12. List of Supplies and attested copies of satisfactory working certificate from the user
(As per section – XII)

Page No. Yes No

13. Self declaration stating the firm is not black listed with any Government /Quasi Government Organizations and will not supply sub standard Lift.

Page No. Yes No

Signature of the Tenderer,
Authorised Signatory,
Name

Designation

Seal.....

Annexure I

GOVERNMENT OF KARNATAKA

VICTORIA HOSPITAL
FORT, BANGALORE.

(A TEACHING HOSPITAL ATTACHED TO BANGALORE MEDICAL COLLEGE
& RESEARCH INSTITUTE)

Telephones: 26701150 ex:201, 202, 205, 26703320 Fax: 26703267

**SHORT TERM TENDERS FOR THE SUPPLY OF FURNITURES
TO VICTORIA HOSPITAL, BANGALORE.**

TENDER REFERENCE : SUP(2)/73/09-10

DATE OF COMMENCEMENT OF
SALE OF TENDER DOCUMENT : 18-01-2010, 9:00 AM

LAST DATE FOR SALE OF
TENDER DOCUMENT : 03.02.2010 , 3:00 PM

LAST DATE FOR SUBMISSION OF
FILLED TENDER DOCUMENTS : 04.02.2010, 1:00 PM

TIME AND DATE OF OPENING
OF TENDERS : 04-02-2010, 02.30PM.
(If it is declared general Holiday,
next working day)

PLACE OF OPENING OF
TENDERS : Medical Superintendent Office
Victoria Hospital, Bangalore

ADDRESS
FOR COMMUNICATION : Medical Superintendent Office
Victoria Hospital,
Fort, Bangalore-2.

SHORT TERM TENDERS FOR THE SUPPLY OF FURNITURES

SECTION I. INVITATION FOR TENDERS (IFT)

Date:13-01-2010

IFT No: VH/SUP(2)/73/09-10

1. *The Medical Superintendent, Victoria Hospital, Bangalore, invites tenders from eligible tenderers for the supply of **Hospital Furnitures listed in Section VI.***
2. The tenderers may submit tenders for item given in Section VI. Individual for each Group **Tenderers are advised to note the qualification criteria specified in Section VII to qualify for award of the contract.**
3. Tender documents (and additional copies) may be purchased for each category Grouping from the office of **Medical Superintendent, Victoria Hospital, Bangalore, from 18-01-2010 to 03-02-2010** during office hours, for a non – refundable fee (two sets) of Rs. 550.00 (Rupees. Five hundred and fifty only), in the form of cash or Demand Draft/ Pay Order on any Nationalized / Scheduled bank payable at Bangalore in favour of **Medical Superintendent, Victoria Hospital, Bangalore.** Interested tenderers may obtain further information at the same address. Tender documents requested by mail will be dispatched by registered/ speed post on payment of an extra amount of Rs.100/-. The **Medical Superintendent, Victoria Hospital, Bangalore,** will not be held responsible for the postal delay if any, in the delivery of documents or non – receipt of the same.
4. Tenders must be accompanied by Earnest Money Deposit of the amount specified in the tender document, drawn in favour of **Medical Superintendent, Victoria Hospital, Bangalore,** Earnest money deposit will have to be in nay one of the forms as specified in the tender document and shall have to be valid for 45 days beyond the validity of the tender.
5. Tenders must be delivered to **Medical Superintendent, Victoria Hospital, Bangalore,** on or before **04.02.2010** at **1:00PM** hours on and will be opened on the same day at **2.30 pm** hours, in the presence of the tenderers or their authorized representatives who wish to attend. If the office happens to be closed on the date of receipt of the tenders as specified, the tenders will be received and opened on the next working day at the same time and venue.
6. Other details can be seen in the tender documents.

Medical Superintendent,
Victoria Hospital,
Bangalore.

SECTION II: INSTRUCTIONS TO TENDERERS
TABLE OF CLAUSES

<u>CLAUSE</u>	<u>Page</u>
<u>No.</u>	<u>No.</u>
A. Introduction	
1. Eligible Tenderer	7
B. Tender Documents	
2. Contents of Tender Documents	7
3. Amendment of Tender Documents	7
C. Preparation of Tenders	
4. Language of Tender	8
5. Documents comprising the tender	8
6. Tender form	8
7. Tender Prices	8
8. Tender Currency	9
9. Documents Establishing Tender's Qualifications	9
10. Documents Establishing <u>Goofs</u> , Conformity to tender Documents	10
11. Earnest Money Deposit	10
12. Period of validity of tenders	11
13. Format and Signing of Tender	12
D. Submission of Tenders	
14. Sealing and marking of Tenders	12
15. Deadline for submission of Tenders	12
16. Late Tenders	13
17. Modification and Withdrawal of Tenders	13
E. Tender Opening and Evaluation of Tenders	
18. Opening of Tenders by the Purchaser	13
19. Preliminary Examination	14
20. Evaluation and Comparison of Tenders	15
F. Award of contract	
21. Post – qualification	16
22. Award Criteria	16
23. Purchaser's Right to vary Quantities at Time of Award	16
24. Purchaser's Right to accept any tender and to reject any or all Tenders	16
25. Notification of Award	17
26. Signing of Contract	17
27. Performance Security	17

SECTION II INSTRUCTIONS TO TENDERERS

A. Introduction

1. Eligible Tenderers:

1.1 Bidders shall not be under a declaration of ineligibility for corrupt and fraudulent practices issued by Government of Karnataka

B.The Tender Documents

2.Contents of Tender Documents

2.1 The goods required, tendering procedures and contract terms are prescribed in the tender documents. In addition to the Invitation for Tenders, the tender documents include.

- (a) Instruction to Tenders (ITT) ;
- (b) General Conditions of Contract (GCC) ;
- (c) Special Conditions of Contract (SCC) ;
- (d) Schedule of Requirements;
- (e) Technical Specifications;
- (f) Tender Form and Price Schedules;
- (g) Earnest money deposit Form;
- (h) Contract Form;
- (i) Performance Security Form;
- (j) Manufacturer's Authorization/Guarantee Form

2.2 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the tender documents. Failure to furnish all information required by the tender documents or submission of a tender not substantially responsive to the tender documents in every respect will be at the tender's risk and may result in rejection of its tender.

3. Amendment of Tender Documents

3.1 At any time prior to the deadline for submission of tender, the Purchaser may, for any reason, whether at its own initiative or otherwise, modify the tender documents by amendment.

3.2 All prospective tenderers who have received the tender documents will be notified of the amendment in writing or by cable or fax, and will be binding on them.

3.3 In order to allow prospective tenderers reasonable time in which to take the amendment into account in preparing their tenders, the Purchaser, at its discretion, may extend the deadline for the submission of tenders.

C. Preparation of Tenders

4. Language of Tender

4.1 The tender prepared by the Tenderer, as well as all correspondence and documents relating to the exchanged by the Tenderer and the Purchaser, shall be written in Kannada/ English language. Supporting documents and printed literature furnished by the Tenderer may be in another language provided they accompanied by an accurate translation of the relevant passages in Kannada / English language in which case, for purposes of interpretation of the Tender, the translation shall govern.

5. Documents Comprising the Tender

5.1 The tender prepared by the Tenderer shall comprise the following components:

(a) A Tender Form and a Price Schedule completed in accordance with ITT Clauses 6,7, and 8;

5 (b) Documentary evidence established in accordance with ITT Clause 9 that the Tenderer is eligible to tender and is qualified to perform the contract id its tender is accepted;

c. Documentary evidence established in accordance with ITT Clause 10 that the goods and ancillary services to be supplied by the Tenderer conform to the tender documents; and

d) Earnest money deposit furnished in accordance with ITT Clause 11

6. Tender Form

6.1 The tenderer shall complete the Tenderer Form and the Price Schedule furnished in the tender documents, indicating the goods to be supplied, a brief description of the goods, quantity and prices.

7.Tender Prices

7.1 The Tenderer shall indicate on the price Schedule the unit prices and total tender prices of the goods it proposes to supply under the Contract. To this end, the tenderers are allowed the option to submit the tenders for any one or

more schedules specified in the ‘Schedule of Requirements’ and to offer discounts for combined schedules. However, tenderers shall quote for the complete requirement of goods and services specified under each schedule on a single responsibility basis, failing which such tenders will not be taken into account for evaluation and will not be considered for award.

7.2 Prices indicated on the Price Schedule shall be entered separately in the following manner:

- (i) The price of the goods, quoted (ex-warehouse or off-the-shelf, as applicable), including all duties and sales and other taxes already paid or payable a) on components and raw material used in the manufacture or assembly of goods quoted ex-works or ex-factory; or b) on the previously imported goods of foreign origin quoted ex-showroom, ex-warehouse or off-the-shelf.
- (ii) Any Indian duties, sales and other taxes which will be payable on the goods if this Contract is awarded;
- (iii) The price for inland transportation, insurance and other local costs incidental to delivery of the goods to their final destination; and
- (iv) The price of other incidental services listed in Clause 4 of the Special Conditions of Contract.

7.3 Prices quoted by the Tenderer shall be fixed during the Tenderer’s performance of the Contract and not subject to variation on any account. A tender submitted with an adjustable price quotation will be treated as non-responsive and rejected, pursuant to ITT Clause 19.

8. Tender Currency

8.1 Prices shall be quoted in Rupees in Indian Rupees:

9. Documents Establishing Tenderer’s Eligibility and Qualifications

9.1 Pursuant to ITT Clause 5, the tenderer’s shall furnish, as part of its Tender, documents establishing the Tenderer’s eligibility to tender and its qualifications to perform the Contract if its tender is accepted.

9.2 The documentary evidence of the Tenderer’s qualifications to perform the Contract if its tender is accepted, shall establish to the Purchaser’s satisfaction.

- (a) That, in the case of a tenderer offering to supply goods under the contract which the Tenderer did not manufacture or otherwise produce, the Tenderer has been duly authorized (as per authorization form in Section XIII) by the good's Manufacturer or producer to supply the goods in India or is a Authorized Dealer of the Goods. (the item for items for which Manufacturer's Authorization is required should be specified)
- (b) That the tenderer has the financial, technical and production capability necessary to perform the Contract and meets the criteria outlined in the Qualification requirements specified in Section VII.

10. Documents Establishing Good's Conformity to tender Documents

10.1 Pursuant to ITB Clause 5, the Tenderer shall furnish, as part of its tender, documents establishing he conformity to the tender documents of all goods and services which the tenderer proposes to supply under the contract.

10.2 The documentary evidence of conformity of the goods and services to the tender documents may be in the form of literature, drawings and data, and shall consist of :

- (a) A detailed description of the essential technical and performance characteristics of the goods ;
- (b) A list giving full particulars, including available sources and current prices, necessary for the proper and continuing functioning of the goods for a period of two years, following commencement of the use of the goods by the purchaser;

11. Earnest Money Deposit

11.1 Pursuant to ITT Clause 5, the Tenderer shall furnish, as part of its tender, earnest money deposit in the amount as specified in Section-V- Schedule of Requirements.

11.2 The earnest money deposit is required to protect the Purchaser against the risk of Tenderer's conduct which would warrant the security's forfeiture, pursuant to ITB Clause 11.7.

11.3 The earnest money deposit shall be denominated in Indian Rupees and shall:

- (a) at the tender's option, be in the form of either a certified check, pay order, a demand draft, from a nationalized/Scheduled Bank located in India; specified small savings instruments; and

- (b) Remain valid for a period of 45 days beyond the original validity period of tenders, or beyond any period of extension subsequently requested under ITT Clause 12.2.

11.4 Any tender not secured in accordance with ITT Clauses 11.1 and 11.3 above (unless the category of tenderer has been specifically exempted by the Government³) will be rejected by the purchaser as non-responsive, pursuant to ITT Clause 19.

11.5 Unsuccessful Tenderer's tender securities will be discharged/ returned as promptly as possible but not later than 30 days after the expiration of the period of tender validity prescribed by the Purchaser, pursuant to ITT Clause 12.

11.6 The successful Tenderer's earnest money deposit will be discharged upon the Tenderer's signing the Contract, pursuant to ITT Clause 26, and furnishing the performance security, pursuant to ITT Clause 27.

11.7 The earnest money deposit may be forfeited:

(a) if a Tenderer

(i) withdraws its tender during the period of tender validity specified by the Tenderer on the Tender Form; or

(ii) does not accept the correction of errors pursuant to ITT Clause 19.3; or

(b) in case of a successful Tenderer, if the Tenderer fails:

(i) to sign the Contract in accordance with ITT Clause 26 ;or

(ii) to furnish performance security in accordance with ITT Clause 27.

12. Period of Validity of Tenders

12.1 Tenders shall remain valid for 120 days after the deadline for submission of tenders prescribed by the Purchaser, pursuant to ITB Clause 15.A tender valid for a shorter period shall be rejected by the purchaser as non-responsive.

12.2 In exceptional circumstances, the Purchaser may solicit the Tenderer's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing (or by cable or fax).the earnest money deposit provided under ITT Clause 11 shall also be suitable extended. A Tenderer may refuse the request without forfeiting its earnest money deposit. A Tenderer granting the request will not be required nor permitted to modify its tender.

13. Format and Signing of Tender

- 13.1 The Tenderer shall prepare two copies of the tender, clearly marking each “Original Tender” and “Copy Tender”, as appropriate. In the event of any discrepancy between them, the original shall govern.
- 13.2 The original and all copies of the tender shall be typed or written in indelible ink and shall be signed by the Tenderer or a person or Persons duly authorized to bind the tenderer to the contract. The latter authorization shall be indicated by written power-of-attorney accompanying the tender, All the pages of the tender, except for unamended printed literature, shall be initialed by the person or person’s signing the tender.
- 13.3 Any interlineations, erasures or overwriting shall be valid only if they are initialed by the persons or persons signing the tender.

B. Submission of Tenders

14 Sealing and Marking of Tenders

- 14.1 The tenderers shall seal the original and copy of the tender in separate inner envelopes, duly marking the envelopes as “**original**” and “**Copy**”. He shall then place all the inner envelopes in an outer envelope.
- 14.2 The inner and outer envelopes shall :
- (a) Be addressed to the Purchaser at the following address: ***Medical Superintendent, Victoria Hospital, Bangalore.***
 - (b) Bear the project Name, the invitation for tenderers (IFT)title and number, and a statement “**Do not open before 2.30pm hours on prescribed last date of tender.**”
- 14.3 The inner envelopes shall also indicate the name and address of the Tenderer to enable the tender to be returned unopened in case it is declared “**late**”.
- 14.4 If the outer envelope is not sealed and marked as required by ITT Clause 14.2, the Purchaser will assume no reasonability for the tender’s misplacement or premature opening.
- 14.5 Cable or facsimile tenders will be rejected.

15 Deadline for Submission of Tenders

- 15.1 Tenders must be received by the purchaser at the address specified under ITT Clause 14.2 (a) no later than the time and date specified in the Invitation for tenders (section I). In the event of the specified date for the

submission of Tenders being declared a holiday for the Purchaser, the tenders will be received upto the appointed time on the next working day.

- 15.2 The Purchaser may, at its discretion, extend this deadline for submission of tenders by amending the tender documents in accordance with ITT Clause 3, in which case all rights and obligations of the Purchaser and Tenderers previously subject to the deadline will thereafter be subject to the deadline as extended.

16 Late Tenders

- 16.1 Any tender received by the Purchaser after the deadline for submission of tenders prescribed by the Purchaser, pursuant to ITT Clause 15, will be rejected and / or returned unopened to the Tenderer.

17 Modification and Withdrawal of Tenders.

- 17.1 The Tenderer may modify or withdraw its tender after the tender's submission, provided that written notice of the modification or withdrawal is received by the Purchaser prior to the deadline prescribed for submission of tenders.
- 17.2 The Tenderer modification or withdrawal notice shall be prepared, sealed, marked and dispatched in accordance with the provisions of ITT Clause 14. A withdrawal notice may also be sent by telex or cable or fax but followed by assigned confirmation copy, post marked not later than the deadline for submission of tenders.
- 17.3 No tender may be modified subsequent to the deadline for submission of tenders.
- 17.4 No tender may be withdrawn in the interval between the deadline for submission of tenders and the expiration of the period of tender validity specified by the Tenderer on the Tender Form. Withdrawal of a tender during this interval may result in the Tenderer's forfeiture of its earnest money deposit, pursuant to ITT Clause 11.7.

E.Tender Opening and Evaluation of Tenders

18 Opening of Tenders by the Purchaser

- 18.1 The Purchaser will open all tenders in the presence of Tenderer's representatives who choose to attend, at 2.30pm hours on prescribed date and in the following location: *Medical Superintendent, Victoria Hospital, Bangalore -02.*

The Tenderer's representatives who are present shall sign a register evidencing their attendance. In the event of the specified date of Tenders shall be

opened at the appointed time and location on the next working day.

- 18.2 The Tenderer's names, tender modifications or withdrawals, tender prices, discounts, and the presence or absence of requisite tender security and such other details as the Purchaser, at its discretion. May rejected at tender opening, expect for late tenders, which shall be returned unopened to the Tenderer pursuant to ITT Clause 16.
- 18.3 Tenders (and modifications sent pursuant to ITT Clause 17.2) that are not opened and read out at tender opening shall not be considered further for evaluation, irrespective of the circumstances.
- 18.4 The Purchaser will prepare minutes of the tender opening.

19 Preliminary Examination

- 19.1 The Purchaser will examine the tenders to determine whether they are complete, whether any computational errors have been made, whether the documents have been properly signed, and whether the tenders are generally in order. Tenders from Agents / Authorized Dealers, without proper authorization from the manufacturer as per Section XIII, shall be treated as non responsive.
- 19.2 Where the Tenderer has Quoted for more than one schedule, if the earnest money deposit furnished is inadequate for all the schedules, the purchaser shall take the price tender into account only to the extent the tender is secured. For this purpose, the extent to which the tender is secured shall be determined by evaluating the requirement of earnest money deposit to be furnished for the schedule included in the tender (offer) in the serial order of the Schedule of Requirements of the Tender document.
- 19.3 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected. If there is a discrepancy between words and figures, the lower of the two will be prevail. If the supplier does not accept the correction of errors, its tender will be rejected and its earnest money deposit may be forfeited.
- 19.4 The Purchaser may waive any minor informality or non- conformity or irregularity in a tender which does not constitute a material deviation, provided such a waiver does not prejudice or affect the relative ranking of any Tenderer.
- 19.5 Prior to the detailed evaluation, pursuant to ITT Clause 20, the purchaser will determine the substantial responsiveness of each tender to he tender documents. For purposes of these Clauses, a substantially responsive tender is one which \conforms to all the terms and condition of the tender documents without material deviation. Deviations from or objections or reservations to critical provisions such as those concerning Performance

Security (GCC clause 4). Warranty (GCC Clause 12). Applicable law (GCC Clause 19), and taxes & duties (GCC Clause 21) will be deemed to be a material deviation. The purchaser determination of a tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.

- 19.6 If a tender is not substantially responsive, it will be rejected by the Purchaser and may not subsequently be made responsive by the Tenderer by correction of the non-conformity.

20 Evaluation and Comparison of Tenders

20.1 The Purchaser will evaluate and the tenders which have been determined to be substantially responsive, pursuant to ITT Clause 7 for each schedule separately. No tender will be considered if the complete requirements covered in the schedule is not included in the tender. However, as stated in ITT Clause 7, tenderers are allowed the option to tender for any one more schedules and to offer discounts for combined schedules. These discounts will be taken into account in the evaluation of the tenders so as to determine the tender or combination of tenders offering the lowest evaluated cost for the Purchaser in deciding award(s) for each schedule.

20.2 the Purchaser's evaluation of a tender will take into account in the case of goods manufactured in India or goods of foreign origin already located in India, sales and other similar taxes, which will be payable on the goods if a contract is awarded to the Tenderer;

20.3 The Purchaser's evaluation of a tender will take a account, in addition to the tender price to include all costs as well as duties and taxes paid or payable on components and raw material incorporated or to be incorporated in the goods, and Excise duty on the finished goods, if payable) and price of incidental services, the following factors, in the manner and to the extent indicated in ITT Clause 20.4 and in the Technical specifications.

- (a) cost of inland transportation, insurance and other costs within India incidental to the delivery of the goods to their final destination.
- (b) The cost of components, mandatory spare parts and service;

20.4 Pursuant to ITT Clause 20.3, one more of the following evaluation methods will be applied:

(a) Inland Transportation, Insurance and Incidentals:

- (i) Inland Transportation, insurance and other incidentals for delivery of goods to the final destination as stated in ITT Clause 7.2 (iii)
- (b) Cost of components, mandatory Spare Parts and Services;

(i) Appendix (CMC) to the Technical Specifications lists the items and quantities of major assemblies, components and selected items of spare parts, likely to be required during the initial 6 year period of operation of the equipment has to mentioned by the Tenderer. The total cost of these items and quantities at the prices quoted in each bid and CMC cost will be added to the tender price.

E. Award of Contract

21 Post qualification

21.1 The Purchaser will determine to its satisfaction whether the Tenderer that is selected as having submitted the lowest evaluated responsive tender meets the criteria specified in ITT Clause 9.2 (b) and is qualified to perform the contract satisfactorily.

21.2 The determination will take into account the Tenderer's financial, technical and production capabilities. It will be based upon an examination of the documentary evidence of the Tenderer's qualifications submitted by the Tenderer, pursuant to ITT Clause 9, as well as such other information as the Purchaser deems necessary and appropriate.

21.3 An affirmative determination will be a prerequisite for award of the Contract to the Tenderer. A negative determination will result in rejection of the Tenderers tender, in which event the purchaser will proceed to the next lowest evaluated tender, to make a similar determination of that Tenderer's capabilities to perform the contract satisfactorily.

22 Award Criteria

22.1 Subject to ITT Clause 24, the purchaser will award the contract to the successful Tenderer whose tender has been determined to be substantially responsive and has been determined as the lowest evaluated tender, provided further that the tenderer is determined to be qualified to perform the Contract satisfactorily.

23 Purchaser Right to vary Quantities at time of Award

23.1 The Purchaser reserves the right at the time of Contract award to increase or decrease by up to 25 percent of the quantity of goods and services originally specified in the Schedule of Requirements without any change in unit price or other terms and conditions.

24 Purchaser's Right to Accept Any Tender and to Reject Any or All Tenders

24.1 The Purchaser reserves the right to accept or reject any tender, and to annual the tendering process and reject all tenders at any time prior to contract award, without thereby incurring any liability to the affected Tenderer or Tenderer's.

Notification of Award

- 24.2 Prior to the expiration of the period of the tender validity, the Purchaser will notify the tenderer in writing by registered letter or by cable / telefax or fax, to be confirmed in writing by registered letter, that its tender has been accepted.
- 24.3 The notification of award will constitute the formation of the Contract
- 24.4 Upon the successful Tenderers furnishing of performance security pursuant to ITT Clause 27, the Purchaser will promptly notify the name of the winning Tenderer to each unsuccessful Tenderer and will discharge its earnest money deposit, pursuant to ITT Clause 11.
- 24.5 If, after notification of award, a Tenderer wishes to ascertain the grounds on which its tender was not selected, it should address its request to the Purchaser. The Purchaser will promptly respond in writing to the unsuccessful Tenderer.

25 Signing of Contract

- 25.1 At the same time as the Purchaser notifies the successful tenderer that its tender has been accepted, the Purchaser will send the Tenderer the Contract Form provided in the tender documents, incorporating all agreements between the parties.
- 25.2 Within 21 days of Receipt of the Contract Form, the successful Tenderer shall sign and date the Contract and return it to the Purchaser.

26. Performance Securities:

26.1 Within 21 days of the receipt of notification of award from the Purchaser, the successful Tenderer shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the tender documents or in another form acceptable to the Purchaser.

26.2 Failure of the Successful Tenderer to comply with the requirement of ITT clause 26.2 or ITT Clause 27.1 shall constitute sufficient grounds for the annulment of the award and forfeiture of the earnest money deposit, in which event the Purchaser may award the award to the next lowest evaluated Tenderer or call for new tenders.

**SECTION III:
GENERAL CONDITIONS OF CONTRACT TABLE OF CLAUSES**

Clause Number	Topic	Page Number
1)	Definitions	19
2)	Applications	20
3)	Standards	20
4)	Performance Security	20
5)	Inspection and Tests	21
6)	Packing	21
7)	Delivery and Documents	21
8)	Insurance	22
9)	Transportation	22
10)	Incidental Services	22
11)	Spare Parts	23
12)	Warranty	23
13)	Payment	23
14)	Prices	24
15)	Contract Amendments	24
16)	Delays in Supplier's Performance	24
17)	Liquidated Damages	24
18)	Termination for Default	25
19)	Applicable Law	25
20)	Notices	25
21)	Taxes and Duties	26

SECTION III: GENERAL CONDITIONS OF CONTRACT

General conditions of contract

1. Definitions:

1.1 In this contract the following terms shall be interpreted as indicated:

- (a) “The Contract” means the agreement entered into between the Purchaser and the supplier, as recorded in the Contract Form signed by the parties, including all the attachments and appendices thereto and all documents incorporated by reference therein:
- (b) “The Contract Price” means the price payable to the supplier under the Contract for the full and proper performance of its contractual obligations:
- (c) “The Goods” means the Bandage Cloth & Cotton Rolls, machinery, and / or other materials which the supplier is required to supply to the Purchaser under the Contract.
- (d) “Services” Means services ancillary to the supply of the goods, such as transportation and insurance, and other incidental services, other obligations of the supplier covered under the Contract.
- (e) “GCC” mean the General Conditions of Contract contained in this section.
- (f) “SCC” means the Special Conditions of Contract.
- (g) “The Purchaser” Means the organization purchasing the Goods, as named in SCC.
- (h) “The Supplier” means the individual or firm supplying the Goods and Services under this Contract.
- (i) “The Government” means the Government of Karnataka State.
- (j) “The State” means the Karnataka State.
- (k) “The Project Site”, where applicable, means the place or places named in SCC.
- (l) “Day” Means calendar day.

2. Application

2.1 These General Conditions shall apply to the extent that they are not superseded by provisions in other parts of the Contract.

3. Standards

3.1 The Goods supplied under this Contract shall conform to the standards mentioned in the technical Specifications, and, when no applicable standard is mentioned, to the authoritative standard appropriate to the Good's country of origin and such standards shall be the latest issued by the concerned institution.

4. Performance Security

4.1 Within 21 days of receipt of the notification of contract award, the Supplier shall furnish performance Security to the Purchaser for an amount of 10% of the Contract Value, valid up to 60 days after the date of completion of performance obligations including warranty obligation. In the event of any correction of defects or replacement of defective material during the Warranty period, the Warranty for the corrected/replaced material shall be extended to a further period of 24 months and the Performance Bank Guarantee for proportionate value shall be extended 60 days over and above the initial Warranty period.

4.2 the proceeds of the performance security shall be payable to the Purchaser as compensation for any loss resulting from the Supplier's failure to complete its obligations under the contract.

4.3 the Performance Security shall be denominated in Indian Rupees and shall be in one of the following forms.

a) A Bank guarantee, issued by a nationalized/scheduled bank in the form provided in the tender documents or another form acceptable to the Purchaser;
or

b) A cashier's check or Banker's certified check, or crossed demand draft or pay order drawn in favour of the purchaser; or

c) Specified small savings instruments duly pledged to the Purchaser.

4.4 The performance Security will be discharged by the Purchaser and returned to the Supplier's not later than 60 days following the date of completion of the supplier's performance obligations, including any warranty obligation, under the Contract.

4.5 In the event of any contract amendment, the Supplier shall, within 20 days of receipt of such amendment, furnish the amendment to the performance Security, rendering the same valid for the duration of the Contract as amended for 60 days after the completion of performance obligations including Warranty obligations.

5. Inspections and tests

5.1 The Purchaser or its representative shall have the right to inspect and or to test the Goods to confirm their conformity to the Contract specifications at no extra cost to the purchaser. SCC and the Technical Specifications shall specify what inspections and tests the Purchaser requires and where they are to be conducted. The purchaser shall notify the supplier in writing in a timely manner of the identity of any representatives retained for these purposes.

5.2 Should any inspected or tested Goods fail to conform to the specifications., the Purchaser may reject the goods and the Supplier shall either replace the rejected Goods or make alterations necessary to meet specification requirements free of cost to the Purchaser.

5.3 Nothing in GCC Clause 5 shall in any way release the Supplier from any warranty or other obligations under this Contract.

5.3 Nothing in GCC clause 5 shall in any way release the Supplier from any warranty or other obligations under this Contract.

6. Packing

6.1 The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit and open storage.

7. Delivery and Documents

7.1 Delivery of the Goods shall be made by the supplier in accordance with the terms specified by the Purchaser in the Notification of Award along with supporting documents.

8. Insurance

8.1 The Goods supplied under the contract shall be fully insured against loss or damage during transportation, storage and delivery.

9. Transportation:

9.1 Where the Supplier is required under the contract to transport the Goods to a Specified place of Destination within the State defined as project site, transport to such place of destination in State including insurance, as shall be specified in the Contract, shall be arranged by the supplier, and the related cost shall be included in the Contract Price.

10. Incidental Services.

10.1 The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:

(a) Performance or supervision of the on-site assembly and / or maintenance of the supplied Goods:

(b) Furnishing of tools required for assembly and / or maintenance of the supplied Goods:

(c) Furnishing of detailed operations and maintenance manual for each appropriate unit of supplied Goods:

(d) Performance or Supervision or maintenance and or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract:
and

(e) Training of the Purchase's personnel, at the supplier plant and or non-site, in assembly start up, operation, maintenance and or repair of the supplied goods.

10.2 Prices charged by the supplier for incidental services, shall be included in the Contract Price for the goods.

11. Spare Parts:

11.1 As specified in the SCC, the Supplier may be required to provide, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier, such spare parts as the Purchaser may elect to purchase from the Supplier, providing that this election shall not relieve the Supplier of any warranty obligations under the Contract: and

11.2 the Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spares for

12. Warranty

12.1 The Supplier warrants that the Goods supplied under this Contract are new, unused, of the most recent or current models and that they incorporate all recent improvements in design and materials unless provided otherwise in the Contract. The Supplier further warrants that all Goods supplied under this Contract shall have no defect arising from design, materials or workmanship or from any act or omission of the Supplier, that may develop under normal use of the supplied Goods in the conditions prevailing in the State.

12.2 This warranty shall remain valid for operation of 24 months after the Goods or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the Contract, or for 18 months after the date of shipment from the place of loading whichever period concludes earlier.

13. Payment

13.1 The method and conditions of payment to be made to the Supplier under this contract shall be specified in the SCC.

13.2 The Supplier's request(s) for payment shall be made to the Purchaser in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and the Services performed, and by documents, submitted pursuant to GCC Clause 7, and upon fulfillment of other obligations stipulated in the contract.

13.3 Payments shall be made promptly by the Purchaser but in no case later than ninety (90) days after submission of the invoice or claim by the Supplier.

13.4 Payment shall be made in Indian Rupees.

14. Prices

14.1 Prices payable to the Supplier as stated in the Contract be firm during the performance of the contract

15 Contract Amendments:

15.1 No variation in or modification of the Terms of the Contract shall be made except by written amendment signed by the parties.

16. Delays in the Supplier's Performance

16.1 Delivery of the Goods and performance of the Services shall be made by the Supplier in accordance with the time schedule specified by the Purchaser in the Schedule of Requirements.

16.2 If at any time during performance of the Contract, the Supplier or its sub-contractor(s) should encounter conditions impeding timely delivery of the Goods and performance of Services, the Supplier shall promptly notify the Purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, the Purchaser shall evaluate the situation and may, at its discretion, extend the Supplier's time for performance with or without liquidated damages, in which case the extension shall be ratified by the parties by amendment of the Contract.

16.3 A delay by the Supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of liquidated damages pursuant to GCC Clause 17, unless an extension of time is agreed upon pursuant to GCC Clause 16.2 without the application of liquidated damages.

17. Liquidated Damages

17.1 If the Supplier fails to deliver any or all of the Goods or to perform the services within the periods specified in the Contract, The purchaser, shall, without prejudice to its other remedies under the Contract, deduct from the Contract price, as liquidated damages, a sum equivalent to 0.5% of the Delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance, upto a maximum deduction of 10% of the Contract Price. Once the maximum is reached, the Purchaser may consider termination of the Contract pursuant to GCC Clause 18.

18. Termination for Default

18.1 The Purchaser may, without prejudice to any other remedy for breach of contract, by written notice of Default sent to the Supplier, terminate the Contract in whole or Part.

(a) If the supplier fails to deliver any or all of the Goods within the Periods specified in the Contract, or within any extension thereof granted by the Purchaser pursuant to GCC Clause 16; or

(b) If the Supplier fails to perform any other obligation(s) under the Contract.

(c) If the Supplier, in the judgment of the purchaser has engaged in corruptor fraudulent practices in competing for or in executing the Contract.

18.2 in the event the Purchaser terminates the Contract in whole or in part, pursuant to GCC Clause 18.1, the Purchaser may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Purchaser for any excess costs for such similar Goods or Services, However, the Supplier shall continue the performance of the Contract to the extent not terminated.

19. Applicable Law

19.1 The Contract shall be interpreted in accordance with the laws of the Union of India, Bangalore Jurisdiction Court.

2.0 Notices

20.1 Any notice given by one party to the other pursuant to this Contract shall be sent to other party in writing or by cable, or facsimile and confirmed in writing to the other's Party's address specified in SCC.

20.2 A Notice shall be effective when delivered or on the notice's effective date, whichever is later.

21. Taxes and Duties

21.1 Suppliers shall be entirely responsible for all taxes (including Sales tax) duties, license fees, octroi, road permits, etc., incurred until delivery of the contracted Goods to the Purchaser.

SECTION IV:

SPECIAL CONDITINS OF CONTRACT TABLE OF CLAUSE

Item No.	Topic	Page Number
1	Definitions (GCC Clause 1)	28
2	Inspection and Tests (GCC Clause 5)	28
3	Delivery and Documents (GCC Clause 7)	28
4	Incidental Services (GCC Clause 10)	29
5	Payment (GCC Clause 13)	29
6	Notices (GCC Clause 20)	29
7	Additional Qualification criteria (ITT Clause-9)	29
8	Saving Clause	29

SECTION IV:
SPECIAL CONDITIONS OF CONTRACT
Special Conditions of Contract

The following Special Conditions of Contract shall supplement the General Conditions of Contract, whenever there is a conflict, the provisions herein shall prevail over those in the General Conditions of Contract. The corresponding clause number of the General Conditions is indicated in parentheses.

1. Definitions (GCC Clause-1)

- (a) The Purchaser is *Medical Superintendent, Victoria Hospital, Bangalore,*
- (b) The Supplier is individual or firm supplying goods and service under this contract.

2. Inspection and Tests (GCC Clause 5)

The following inspection procedures and tests are required by the Purchaser:

- i) Live demonstration of the goods if requested from *Medical Superintendent, Victoria Hospital, Bangalore,*
- ii) Inspection by the end use or any person appointed by the Medical Superintendent, Victoria Hospital, Bangalore, as per specification of the goods at the time of supply.

3. Delivery and Documents (GCC Clause 7)

Upon delivery of the Goods, the supplier shall furnish to the Purchaser the following documents:

- (i) Delivery challan in triplicate.
- (ii) One Original and three copies of the Supplier invoice showing contract number, goods' description, quantity, unit price, total amount'
- (iii) One Original and two Copies of packing list identifying the contents of each package;
- (iv) Insurance Certificate;
- (v) Manufacturer's / Supplier's warranty certificate;
- (vi) Inspection Certificate issued by the nominated inspection agency, and the Supplier's factory inspection report; and

4. Incidental Service (GCC Clause 10)

The following services covered under Clause 10 shall be furnished and the cost shall be included in the contract price.

5. Payment (GCC Clause 13)

- (i) On Delivery: On receipt of Good and establishing that the supplied goods broadly conform tot he number and specifications of the ordered goods, and further upon submission of the documents specified in SCC Clause 3 above; and
- (ii) On Final Acceptance: 100% of the contract price shall be paid to the supplier only at the satisfactory of goods issued by the purchaser’s representative for the respective delivery.

6. Notice (Clause 20)

For the purpose of all notices, the following shall be the address of the Purchaser and Supplier. Purchaser: *Medical Superintendent, Victoria Hospital, Bangalore,*

Supplier: (To be filled in at the time of Contract Signature)

.....
.....

7. Additional Qualification criteria (clause-ITT 9)

- I. Self declaration stating the firm is not black listed in any State/Center/Quasi Government Organaisation
- II. Annual turn over/Balance sheet report for last three years issued by Chartered Account.
- III. Sales tax/VAT Registration Number with certificates.
- IV. Income tax PAN Number.

SAVING CLAUSE:

No Suit, Prosection or any legal proceeding shall lie against the purchased or Superintendent, Victoria Hospital or any person for any thing which is done in good faith or intended to be done in pursuance or this tender.

SECTION V:

SCHEDULE OF REQUIREMENTS

(To be inserted in the Tender Documents by the Purchaser, as applicable, The Schedule should cover, at a minimum, the required items, quantities, service, delivery period(s) and earnest money deposit (EMD.)

Part – 1

Serial Number	Brief Description	Quantity	Delivery Schedule	EMD in Rupees
	Please see Annexure A to D	Please see Section VI	As per tender condition	2.5% of cost of the tender value

Part – II (Incidental Services)

See G.C.C. Clause 10

LIST OF FURNITURES
SECTION VI-TECHNICAL SPECIFICATIONS.

Sl.No	Name of Items	QUANTITY	Technical Specifications
ANNEXURE-A			
1.	Stretcher Trolley S.S	10	Enclosed
2.	Wheel Chair S.S	10	Enclosed
3.	Examination Table	10	Enclosed
4.	Wash Basin	10	Enclosed
5.	Wooden Examination Table	2	Enclosed
6.	Drugs Trolley	2	Enclosed
7.	Dressing Trolley	10	Enclosed
8.	Instrument Trolley S.S. Type	10	Enclosed
9.	Drip Stand	25	Enclosed
10.	Oxygen Cylinder Trolley	20	Enclosed
11.	Mayo's Instrument Table	10	Enclosed
12.	Back Rest	20	Enclosed
ANNEXURE-B			
1.	Lockers for Staff (Industrial Type)	10 (6 Shelves)	Enclosed
2.	Executive Table	15	Enclosed
3.	Executive Chair	16	Enclosed
4.	Steel Almirah 6 ^{1/2} feet	50	Enclosed
5.	Office Table	30	Enclosed
6.	'S' Type Chair	100	Enclosed
7.	Revolving Stool S.S	25	Enclosed
8.	Almirah with Glass Door	04	Enclosed
9.	3 Chair Box Type Metal Chair	50 sets	Enclosed
10.	'P' Type Chair with Cushion	50	Enclosed
11.	Computer chair	20	Enclosed
12.	Computer Table	20	Enclosed
13.	Open Racks Size: 6 ^{1/2} feet	100	Enclosed
14.	Steel Dust Bin	20	Enclosed
15.	Aluminum folding ladder	02	Enclosed
16.	Lead Projector	01	Enclosed
17.	X-Ray View Box	15	Enclosed

ANNEXURE-C

1.	Orthopedic Examination Table	06	Enclosed
2.	Auto Clave	02	Enclosed
3.	Plaster of Paris Cutter	04	Enclosed
4.	Stainless Steel Examination Table	05	Enclosed
5.	Electric Sterilizer	10	Enclosed
6.	O.T. Table (Operation Theatre Table)	03	Enclosed
7.	Shadow less OT lamp (O.T light)	04	Enclosed
8.	Oxygen Cylinder B-type with flow meter mox Regulator	20	Enclosed
9.	B.P. apparatus	20	Enclosed

ANNEXURE-D

1.	Iron Cot	100	Enclosed
2.	Iron Stools	70	Enclosed
3.	Foot Steps S.S	20	Enclosed
4.	Bed side screen S.S	20	Enclosed
5.	Bed Side Locker	50	Enclosed
6.	Fowler Cot	04	Enclosed
7.	I C U Cot	10	Enclosed

Note: Furniture should be supplied to Victoria Hospital, Bangalore on F.O.R

SECTION VII : QUALIFICATIONS CRITERIA
(Referred to in Clause 9.2 (b) of ITT)

1. (a) The tenderer should be a manufacturer who must have manufactured, tested and supplied the equipment (s) similar to the type specified in the 'Schedule of Requirements' up to at least of 80% of the quantity required in any one of the last 3 years. The bandage cloth & cotton rolls offered for supply must be of the most recent series models incorporating the latest improvements in design. The model should have been released **last two years back** and be in satisfactory operation for **18 months** as on date of tender opening.

(b) Tenders of tenderes quoting as authorized representative/dealer of a manufacturer, meeting with the above requirement in full, can also be considered provided:

(i) the manufacturer furnishes authorization in the prescribed format assuring full guarantee and warranty obligations as per GCC and SCC; and

(ii) the tendere, as authorized representative/dealer, has supplied, installed and commissioned satisfactorily at least **100%?** of the quantity similar to the type specified in the Schedule of Requirements in any one of the last **Three years** which must be in satisfactory operation for at **least 18 months** on the date of tender opening.

2. The tenderer should furnish the information on all past supplies and satisfactory performance for both (a) and (b) above, in proforma under Section XII.

SECTION VIII :

TENDER FORM

Date:.....

IFT No.....

TO: (Name and address of purchase)

Gentlemen and / or Ladies:

Having examined the Tender Documents including Addenda Nos.....[insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to supply and deliver.....(Description of Goods and Services) in conformity with the said tender documents for the sum of(Total tender amount in words and figures) or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this tender.

We undertake, if our tender is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our tender is accepted, we will obtain the guarantee of a bank in a sum equivalent to percent of the Contract Price for the due performance of the Contract, in the form prescribed by the Purchaser.

We agree to abide by this tender for the Tender validity period specified in Clause 12.1 of the ITT and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a formal contract is prepared and executed, this tender, together with your written acceptance thereof and your notification of award, shall constitute a binding contract between us.

We undertake that, in competing for (and, if the award is made to us, in executing) the above contract, we will strictly observe the laws against fraud

and corruption in force in India namely “ Prevention of Corruption Act 1988”.

We understand that you are not bound to accept the lowest or any tender you may receive.

We clarify/confirm that we comply with the eligibility requirements as per ITT Clause 1 of the tender documents.

Dated this.....day of.....19.....

.....

.....

(Signature) (in the capacity of)

Duly authorized to sign Tender for and on behalf of

.....

.....

(Section –IX)

PRICE SCHEDULE

Schedule No.	Item Description	Quantity and unit	Price of the each unit					
			Ex-factory / Ex warehouse / ex-showroom / off the shelf	Excise duty / customs duty if any	Inland Transportation insurance and other local costs incidental to delivery	Sales and other taxes payable if contract awarded	Unit Price (4+5+6+7)	Total Price (3*5)
1	2	3	4	5	6	7	8	9

Total tender price in Rs. (Words).....

**C.M.C AMOUNT FOR SIX YEARS
(Where Ever Applicable)**

Signature of Tenderer

Name and address

Note: In case of discrepancy between unit price and total price, the unit price will prevail.

SECTION X:
CONTRACT FORM

THIS AGREEMENT made theday of20,
Between.....(Name of purchaser) of(country of
purchaser) (hereinafter called "the Purchaser") of the one part and
.....(Name of Supplier) of(City and Country of
Supplier) (hereinafter called "the Supplier") of the other part.

WHERE AS the Purchaser is desirous that certain Goods and ancillary services viz.,(Brief Description of Goods and Services) and has accepted a tender by the Supplier for the supply of those goods and services in the sum of(Contract Price in Words and Figures) (hereinafter called "the Contract Price")

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents shall be deemed to form and be read and constructed as part of this Agreement, viz:
 - (a) the Tender Form and the Price Schedule submitted by the Tenderer:
 - (b) the Technical Specifications:
 - (C) The General Conditions of Contract:
 - (e) the Special Conditions of contract: and
 - (f) the Purchaser's Notification of Award.
3. In consideration of the payments to be made by the Purchaser to the supplier as hereinafter mentioned, the Supplier hereby covenants with the Purchaser to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract.
4. the Purchaser hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the

provisions of the Contract at the times and in the manner prescribed by the Contract.

Brief particulars of the goods and services which shall be supplied/ provided by the supplier are as under:

Sl.No	Brief Description of goods and services	Quantity to be supplied	Unit price	Total Price	Delivery Terms

TOTAL VALUE:

DELIVERY SECHEDULE :- Please see section VI

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Signed, Sealed and Delivered by the said.....(For the Purchaser) in the presence of Signed, Sealed and Delivered by the said(For the Supplier) in the presence of

SECTION XI. PERFORMANCE SECURITY FORM

To: (Name of Purchaser)

WHEREAS(Name of Supplier)
hereinafter called “the Supplier”has undertaken, in pursuance of contract
No.....dated.....20.....to
supply.....(Description of Goods and
Services) herein after called “the Contract”

AND WHEREAS it has been stipulated by you in the said contract that the
Supplier shall furnish you with a Bank Guarantee by a recognized bank for
the sum specified therein as security for compliance with the Supplier’s
performance obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the Supplier a Guarantee:

THEREFORE WE hereby affirm that we are Guarantors and responsible
.....(Amount of the Guarantee in
Words and Figures) and we undertake to pay you, upon your first written
demand declaring the Supplier to be in default under the Contract and
without cavil or argument, any sum or sums within the limit of
.....(Amount of Guarantee) as aforesaid, without your needing
to prove or to show grounds or reasons for your demand or the sum specified
therein.

This guarantee is valid until theday of20.....

Signature and Seal of Guarantors

.....
.....
.....

Date.....

Address.....

.....
.....

SECTION XIII:-

MANUFACTURERS' AUTHORIZATION FORM*

(Please see Clause 9.2 (a) Instructions to Tenderers)

To

No.

Date

Dear Sir:

IFT No.

We who are established and reputable manufacturers of (name and description of goods offered)having factories at (address of factory) do state that:

(a) M/s. (Name and address of Agent) is hereby authorized to submit a tender, and sign the contract with you for the goods manufactured by us against the above IFT;OR

(b) M/s. _____(Name and address of the Authorized Dealer) is our accredited/authorized (Dealer We. hereby extend our full guarantee and warranty as per clause 12 of the General Conditions of Contract for the goods and services offered for supply by the above firm agatinst this IFT.

We will not supply refurbished equipments.

Yours faithfully,

(Name)

(Name of Manufacturers)

Note: This letter of authority should be on the letterhead of the manufacturer and should be signed by a person competent and having the power of attorney to legally bind the manufacturer. It should be included by the Tenderer in its tender.

- Modify this format suitably in case where manufacturer's warranty and guarantee are not applicable for the items for which tenders are invited.

ANNEXURE-A:
TECHINICAL SPECIFICATION:

1. STRECHER TROLLY S.S:

Stretcher trolley with caster wheels of overall size 2.14m Lx0.61m W x 0.81m H trolley size 1.37m x 0.61m W x 0.81m H made out of tubular frame of 32mm dia pipe of 18 rubber castor swiveling wheels. Top frame for securing stretcher shall be 2.14 x 0.61m. The stretcher shall be with frame work of 25mm dia, 18 SWG pipe and supporting sheet of 24 SWG bent inward 25mm. Handle fixed shall be chromium plated. The stumps fixed with plastic shoes. The stretcher trolley shall be degreased, red oxide primer coated and painted with white synthetic enamel paint.

2. WHEEL CHAIR S.S:

Overall Approx size 94cm(l) x 77cm(w) x 116cm(h) seat Dimensions 46cm(w) x 47cm(d) x 53.5Cm(h) optional Velcro belt and foot straps Made with tubular framework construction. Fixed seat and backrest with rexine cover provides steady support and comfort. Front swiveling castors are of 15cm dia Rear wheels are of cycle rings with solid rubber tyres Folding leg rests support feet. Metal components are pre-Treated and powder coated.

3. EXAMINATION TABLE:

Size 1.82cm Lx0.61 Bx0.81cm H based on tubular legs of 2.85cm dia, pipe for legs 25cm dia pipe for cross support. The top shall be 16 SWG. MS steel in two parts of 1.22x0.61M in one side and 0.61x0.61M for head side and head side height is adjustable on pair toothed rack, the table is painted with white synthetic enamel paint and legs are provided with plastic shoes

4. WASH BASIN:

Made out of M S flat of size 25 x 3mm inner dia 30.48/cm to accommodate enameled round metal basin of standard gauge with four sides supporting ribs of size 25 x 3mm flat welded to the 7/8" pipe of 18G.

The scap holder 12.7 x 10.2cm 3mm made out of MS. Flat to be provided at the distance of 22.8cm from the bottom of the basin. The overall height of basin stand. Bottom to be provided with 3 legs of size 22.74 made out of MS angle size 2.54 x 2.54 x 0.3175cm.

All the above items to be painted with 2 coat of red oxide and 2 coat of white enamel paint or as per indenter's choice.

5. Wooden Examination Table:

Foam rubber padded top, Size 72”x 24”, upholstered with rexine & had adjustable back rest of 18” length which can be adjusted in height for desired position.

Two drawers and one writing board is provided underneath the top. Top is mounted on sturdily built well polished hardwood legs.

6. Drugs Trolley:

Overall approx. size: 760mmL x 510mmW x 900mmH (shelf size: 750mmL x 500mmW).SS tubular frame mounted on four castors, 200mm dia. Two SS shelves with Raised Edges on all four sides. Handle to Propel movement.

7. DRESSING TROLLEY:

Two stainless steel shelves and stainless steel railing to cover the 3 sides both for Top and Bottom shelves. Provided with stainless steel bowl and stainless steel bucket, & mounted on 4” castor wheel

8. INSTRUMENT TROLLY:

size of 0.685m Lx0.457 m Wx0.812m H frame work fabricated out of 25mm dia pipe and legs fitted with four Nos. 8mm dia swiveling caster wheels. Two shelves made out of 18 SWG sheet with side railing around and with a tray and bowl carrying ring made out of 6mm dia. MS rod are to be provided and trally painted with white synthetic enamel paint.

9. DRIP STAND:

Telescopically height adjustable from 1.37m to 1.80m is fitted on to the frame of 25mm dia. Pipe with quadrupe legs with four Nos. of 38mm dia. Swiveling rubber wheels to be welded to bottom pipe. The height adjustable by telescopic system outer shall be 20mm dia MS pipe and inner sliding should be 12mm dia. MS rod with double -hook at top with chrome nickel plating. Height shall be adjusted by screw with T-head and painted with white enamel paint.

SWG with cross support based on four nos. of 100mm dia. Solid

10. OXYGEN CYLINDER CARRYING TROLLEY:

size 1.07m Hx0.25m W tubular frame of 25mm dia pipe with 14 SWG 0.25m x 0.25m base with tubular support of 25mm flat looking arrangement of oxygen cylinder the trolley based on 100mm dia. Two nos. Solid rubber castor wheels with single axle painted with white synthetic enamel paint.

11. MAYO'S INSTRUMENT TABLE:

Adjustable height frame 0.76m to 1.01m all tubular 25mm dia. Frame based on four Nos. of 38mm dia. Swiveling castor wheels adjustable frame is chrome nickel plated and top ring for putting instrument trays painted with white synthetic enamel.

12. BACK REST:

0.61m x 0.46m angular frame of 25 x 25 x 3mm top frame welded with 18 SWG patties of 25mm lengthwise at 15.24cm interval and similarly for beneath frame and adjustable on toothed racks top movable with the help of flats or 25x6mm joint on both ends painted with white synthetic enamel paint.

ANNEXURE-B:

1. LOCKER FOR STAFF (INDUSTRIAL TYPE):

Of size 1.98m L x 0.91m W x 0.43m D with six doors having internal locking arrangement for each compartment. Each door shall be provided with a handle and name plate. All the six lockers shall be derusted, primer coated and painted with synthetic enamel paint as per indentors choice. All components shall be made out of MS sheet 20G.

2. EXECUTIVE TABLE:

Of Overall Size 1.37m L x 0.76m W x 0.76m H with three drawers on the right side with automatic locking device and a cup-board with a shelf on the left side with square legs of section of 25mmx25mm 16G. The top shall be of 20mm thick laminated block board with 25mm width PVC beading around. The table shall be derusted, primer coated and painted with synthetic enamel paint as per indentors choice. All Components shall be made out of MS Sheet of 20G.

3. EXECUTIVE CHAIR :

Executive revolving chair with titling and revolving arrangement of standard size 12.7cm thick foam for the back covered with feather touch Bohr Rexin. The chair shall be with full high back with head rest and to be fitted on the M.S. (tubular frame) revolving base with 5 frongs fitted with ball casters. The colour and shade of rexin cloth as per indentors choice.

4. STEEL ALMIRAH (6^{1/2}):

Size H 1.83m x W 0.915m x D 0.48m (excluding leg of 15.24cm) fitted with four fixed Shelves making five compartments double door with three way locking device and duplicate keys. All joints out side and inside should be spot or arc welded and neatly finished by grinding. The outside corner's corners should be rounded off to give good Appearance. The edges of doors and shelves should be properly bent to U-shape of 25mm width to Ensure good Strength and the outer edge of U-bent of the door lengthwise should be double folded and neatly finished. The shelves front side should be bent to U-shape neatly and finished to avoid any possible cuts to fingers and hand any possible cuts to fingers and hand when handled. Longitudinal rib of 15.24 cm wide including bent to required shape should be provided and fixed to each door at the center. The breadth of the shelf in the Almirah should be to the entire width leaving about 12 mm gap from the shutter when it is closed.

5. OFFICE TABLE:

Of Overall Size 1.83cmx0.91m Wx 0.76m H with automatic locking device on the right side and a cupboard with a shelf on the left Side with Square legs of section.25mmx25mm 16G. The top shall be of 20m thick laminated block board with 32mm thick V-Shape teakwood internal beading nicely polished with two Coats of colourless polish.

The table Shall be derusted, primer coated and painted with enamel paint as per indentors choice. All components shall be made out of MS Sheet of 20G.

6. 'S' TYPE CHAIR:

With good quality teakwood frames knitted with nylon cane for seat and back. The seat fixed on with flat brackets on four comers, teakwood arm rest and frames are polished with colourless French polish (black enamel paint should not be coated). Height 89cm Width 50.8cm Depth 53.34cm. The iron frames should be of 25mm dia 16 gauage steel tubs properly bent to its required shape with rubber shoes at bottom. The frame joints should be neatly finished and spray-painted with approved shade of enamel paint.

7. REVOLVING STOOL WITH STANILESS STEEL:

The stool seat height is adjustable from 0.46 to 0.68 with quadrable tubular stand of 2.54cm dia pipe of 16 SWG and threaded rod of 22mm dia with 4 TPL Top should be 30cm dia, stainless steel sheet of 24 SWG fixed on to a frame work made out of 25 x 3mm MS fat, which is welded to the thread rod. The steel is degreased and primer coated and painted with white enamel paint and the legs are provided with rubber shoes.

8. ALMIRAH WITH GLASS DOOR :

- Cupboard with 4 Adjustments shelves giving ample Storage Space for books and Project files.
- Glass door for Easy identification of Books.
- Epoxy Powder coated body for longevity of MS component.
- Colours: Prince Grey, graphite Grey, Olive Green and Special Brown.

Size	Width	Width	Height
Glass Door	916	486	1981

9. 3CHAIR BOX TYPE METALCHAIR :

The chair should be having 3 seats with armrest. Metal should be a perforated one with all powder coating processes adhered. The chair should have waterfall seat edge and robust all steel construction. Chair should be on beam.

8 STAGE 7 TANK POWDER COATING PROCESS :- All metal parts has to undergo anti corrosion treatments like degreasing, Phosphate and Passivation process intermediated by a cold water rinse treatment. EPOXY-POLYESTER POWDER ARE SPECIALLY FORMULATED TO PROVIDE EXCELLENT FINISH, OUTSTANDING HARDNESS AND HIGH RESISTANCE TO CHEMICAL, THERMAL AND MECHANICAL STRESS AS PER IS- INDIAN STANDARD IS 13871:1993

10. 'P' TYPE CHAIR WITH CUSHION:

Chair frame is made of 1" Dia 16 gauge MS Pipe

Seat & back are made of Foam and fitted to plywood & covered with good quality Cloth

Polyurethane Arm rest are fitted

Frame is well powder coated

11. COMPUTER CHAIR :

The chair should have seat height adjustment. It should have 5 pronged base for better stability with 360 degree swivel mechanism and twin wheel castors for free movement. A pivoted backrest to provide support while changing postures. It should have a plastic back cover for aesthetic look. A pneumatic mechanism for seat height adjustment & to provide a cushioning effect. The chair back rest should be having manual height adjustments. H-69-90 , DEPTH - 65, WIDTH - 65 SEAT HEIGHT - 44-56. Chair should have no tilt mechanism and with metal pedestal.

8 STAGE 7 TANK POWDER COATING PROCESS :- All metal parts has to undergo anti corrosion treatments like degreasing, Phosphate and Passivation process intermediated by a cold water rinse treatment. EPOXY-POLYESTER POWDER ARE SPECIALLY FORMULATED TO PROVIDE EXCELLENT FINISH, OUTSTANDING HARDNESS AND HIGH RESISTANCE TO CHEMICAL, THERMAL AND MECHANICAL STRESS AS PER IS- INDIAN STANDARD IS 13871:1993

12. COMPUTER TABLE:

Computer table should have provision for all desktop related materials like monitor, keyboard tray, separate mouse tray, provision to keep ups, printer and cpu space. It should be made of particle board throughout. The computer table should be movable with castors below the legs.

13. OPEN RACKS SIZE(61/2) FEET :

A of size 1.98 m x 0.91m x 0.45m with six panels made out of slotted angle 40 x 40 x 2mm with necessary bolts, nuts and panels made out of MS sheet 20G. The rack shall be derusted primer coated and painted with synthetic enamel dark grey colour with necessary gusser plates.

14. STEEL DUST BIN:

Made out of 22 G MS sheet. The size of the dust bin shall be 27.94cm square at the top and 20.32cm square at the bottom with a height of 30.48cm. A sheet leg shall be provided for a height of 5cm. The dust bin shall be derusted primer coated and painted with synthetic enamel paint as per indentors choice.

15. ALUMINIUM FOLDING LADDER:

A-Type with 4 Legs, folding Type, Light Weight Load Capacity, 150Kgs, Size: 8ft, 9Steps

16. LEAD PROJECTOR:

Highlights:

Projection System	DLP
Display Technology	0.55" DMD
Native Resolution	SVGA(800x600)
Brightness (ANSI-Lumens)	160
Contrast Ratio(FIFO)	2000:1

Projection Lens

Focus	Manual
Zoom	Fixed

PROJECTION IMAGE

Screen Size	15"to 80"
Standard	40"@1.1m
Throw Ratio (Wide/Tele)	1.4
Projection Offset	100%

LAMP

Life High Brightness	30000
Life Economic (hrs)	30000

NOISE

High Brightness	31dB
Economic	23dB
Uniformorty (min)JBMA	>95%

17. X-RAY VIEW BOX:

1. Made of 22 gauge MS Sheet for body
2. 2mm White acrylic sheet for viewing the X ray films
3. 2 Clips are provided for holding the X-ray films
4. Two 2' tubes are fitted inside the box for brightness
Provision for hanging to the wall.

ANNEXURE-C:

1. ORTHOPEDIC EXAMINATION TABLE:

Headrest is adjustable on gas spring. Upper section is with three drawers. Lower Section has cabinet with sliding doors and one shelf. A swiveling tray for B.P. Instrument near headrest for convenience and space utilization. Foam mattress with rexine cover. All metal components are pre-treated and powder coated.

2. AUTO CLAVE:

- * Inside body made pu of 18 gauge S.S. & outer body is of 22 gauge S.S.
- * Hinged door with S.S. lining.
- * Radial with auto locking system.
- * Having water level indicator with inlet pipe and stop cock.
- * Spring loaded safety valve in both the chambers.
- * Adjustable pressure control,
- * Accuracy: ± 3 psi
- * Built in temperature indicator
- * Auto cut off pressure facility when pressure reaches to set value.
- * Foot apperating lid.
With loading basket.

3. PLASTER OF PARIS CUTTER:

Electrical Plaster Saw-Oscillatory Model Complete with 2 stainless Steel Blades with Allen Key in Box

4. STAINLESS STEEL EXAMINATION TABLE:

Size: 6' L x 1 $\frac{3}{4}$ ' W x 2 $\frac{1}{2}$ ' H

SS tubular construction.

Machine pressed double bent SS sheet. Two section top headrest adjustable on ratchet.

Frame is made of 1 $\frac{1}{4}$ " 16 gauge SS pipe

Cross bars of 1" dia SS Pipe.

Rubber Feet.

Pretreated well polished

ISO, CE Certified

5. ELECTRIC STERILIZER :

Instrument sterilizer for disinfecting different types of instruments used in Hospitals to IS: 5022/1989 with (Admit 1& 21 reaffirmed 1999. The sterilizer Operated electrically only on single phase 230-250 volts.50HzAc. The sterilizer have replaceable immersion type heater having mineral filled sheathed heating elements conforming to IS: 4159/2002 duly BIS marked and complying with safety requirements as per IS:302-2-201(1992). All the steel materials is made out of SS 304 Quality steel.

MODEL	SIZE	DESCRIPTION
SS-706015	510X200X150	LOAD:2.00 KW

6. OPERATION THEATRE TABLE:

A Hydraulic O.T. Table with heavy S.S. Table top and fully covered hydraulic Central portion and base with heavy steel perfect all types of surgeries with all standard accessories of stainless steel.

7. SHADOWLESS O.T. LAMP :

28” dia dome (Double) with 7 reflector & 22” dia Dome with 4 reflectors of 7” dia in each

Fitted with imported Halogen bulbs 24v – 70Wf.

Lux 90,000 ± 10% at 90 Cm.

Heavy duty step down transformer made from Special Core with H.P.P.S.

Easy maneuverability by a semi circular S.S. handle fitted out side the 28” dia Dome and Sterilizable central in 22” dia Dome

Heat absorbing & colour correcting special filter glasses

ISO, ITC & CE Certified

8. OXYGEN CYLINDER B – TYPE WITH FLOEMETER MOX REGULATOR:

Filled with 10 Kgs. Oxygen with flow meter set along with Certificate

Accessories: Regulator, Spanner, Humidifier & Mask

(or)

Filled with 40 Kgs. Oxygen with flow meter set along with Certificate

Accessories: Regulator, Spanner, Humidifier & Mask

9. B.P. APPARATUS:

Traditional desk mercurial Sphygmomanometer with mercury locking device

Range 0-300 mm Hg packed in light-weight metal case.

Supply with adult Velcro cuff and blood pressure bulb.

Easy to read with clear tube

Accurate reading

Soft Cotton/Nylon cuff

Emulsoid Bladder & Soft emulsoid Bulb

Mercury lock facility.

ANNEXURE-D:

1. IRON COTS:

Adult Steel sheet of size 0.78m W x 0.60m H in 18G H height tubular head and leg bows of 2.54cm dia ERW tube on Side. The Head bow Should be 0.81m in Height with a cross bar of 1.90cm dia. The sheet should be single 18G. thick and uniformly bent on all sides 3.81cm Vertically and 1.27cm further inside with one lengthwise ribs.

Of 18G. and 15.20cm wide in the middle underneath the sheet painted with white synthetic enamel or any other colour synthetic enamel as desired by the indentors.

2. IRON STOOL:

Of size 35.5mm at top 50.8cm height. The top shall be made out of 1.90cm thick block board laminated and internal teakwood beading all-round. There shall be 4 legs fabricated with cross bars with necessary slanting. The tubes shall be of 1.90cm dia x 16 gauges for the verticals and 1.27cm dia x 18 gauge for the horizontals. The stool shall be derusted primer coated and painting with synthetic enamel paint as per indentor's choice.

3. FOOT STEPS S.S:

Overall height of the step shall be 43. 18cms making 22.86 cm for bottom step and 20.30cms for the second step, the two steps shall be with 6 legs fabricated out of 25mm dia MS pipe and using dia 16mm pipe for cross supports. The steps top two nos. of size 22.86cm x50.8cm out of 18 SWG sheet welded properly and painted with white synthetic enamel paint and legs are provided with plastic shoes.

4. BED SIDE SCREEN STAINLESS STEEL:

Size 2.44ML 'x1.52MH all tabular frame of 7/6' (22mm) dia. Pipe screen in two part of each 0.61 m x 1.52M left and right and one more part of size 1.22m in the middle based on tabular legs of 25mm dia, fixed with four numbers of 38mm dia swiveling castors wheels. Hooks shall be provided at bottom and at top of inside the screen frame and it shall be primer coated and painted with white synthetic enamel.

5. BED SIDE LOCKERS:

A Rectangle sheet metal Cup board in the center with four legged tubular frame Of 25mm outer dia. Size of locker would be 35.5cm. WX 35.5cm D X 81.5cm H and size of cupboard 30.48cm X30.48cm H X 35.5cm with ventilating louvers. All the four legs are provided with plastic shoes with sheet metal top. The Locker shall be derusted, The locker shall be derusted, primer coated and painted with synthetic paint as per indentors choice. All the components shall be MS sheet of 20G.

6. FOWLER COT:

- Saline Arrangements
- 4” Thick foam mattresses with rexine Cover.
- Steel structure with mattress are divided Into 4 Sectors Provides for 5 Different Position Adjustments.
- 2 Separate crank Adjustments for Backrest, And Knee rest respectively.
- The Uniformly perforated 4- Section mattresses area dissipates heat and moisture, ventilates the mattress and Facilities Hygiene.
- SS Framed head & foot bows with laminated panels provide an aesthetic look.
- Corner buffers absorb impact and reduce damage in handling.
- Saline arrangement with four locations.
- Castors of 125mm. dia with brakes are provided for mobility with control.
- The Complete metal components are pre-treated & powder coated

7. ICU COT:

- ICU Bed with Polymer moulded head and footboard.
- ICU Bed with adjustment or basket. Upper leg.
- Height end Trendelenburg/Reverse Trendelenburg
- Positions on separate crank mechanisms provided at foot end of the bed.
- Overall approx dimension: 2180mm Lx 1010mm W.
- Minimum height: 490mm approx (Without mattress)
- Minimum height: 710mm approx (Without mattress)
- 125mm dia castor wheels with high grade synthetic body, two with brake and two without brakes.
- Four corner side buffers.
- Pre treated and powder coated finish.
- Supplied in SKD condition
- Full length stainless steel tube Collapsible Railing (pair)
- Four Section Mattress with 4” thick Pu foam of 40 densities covered with PVC Rexine.
- S.S. Telescope I.V. Pole.